FORM PTO-1449
(Rev. 2-32)

Patent and Trademark Office

INFORMATION DISCLOSURE STATEMENT BY
APPLICANT

Applicant: Cone et al.

Filing Date:
February 13, 2002

Group: 1614

U.S. PATENT DOCUMENTS

Examiner Initial		De	ocui	men	ıt N	um	ber		Date	Name	Class	Subclass	Filing Date if Appropriate
Re	1	5	2	8	0	1	1	2	1/18/94	Cone et al.			
i	2	5	5	3	2	3	4	7	7/2/96	Cone et al.			
	3	4	6	8	3	1	9	5	7/28/97	Mullis et al.			·
150	4	4	6	8	3	2	0	2	11/27/90	Mullis			

FOREIGN PATENT DOCUMENTS

·			Docu	ment l	Numb	er			Date	Country	Class	Subclass	Transl	ation No
H.	5	wo	93	2	1	3 .	1	6	10/28/93	PCT				
K	-6	wo	93	2	1	3	1	5	10/28/93	PCT				

EXAMINER Sym Muse	DATE CONSIDERED 12/19/08

INFORMATION DISCLOSURE STATEMENT BY APPLICANT	01-104-B	10/074,754
	Applicant: Cone et al.	
	Filing Date: February 13, 2002	Group: 1614

g.	/	7	Ahmed et al., "Isolation and p purification of a melanocyte-stimulating hormone receptor from B16 murine melanoma cells. A novel approach using a cleavable biotinylated photoactivated ligand and streptavidin-coated magnetic beads," <i>The Biochemical Journal</i> 286:377-382 (September 1, 1992)
1			/Bergendahl et al., "Short-Term Starvation Decreases POMC mRNA but Does Not Alter GnRH mRNA in the Brain of Adult Male Rats," Neuroendocrinol. 56:913-920 (1992)
		•	Bertling, "Transfection of a DNA/Protein Complex into Nuclei of Mammalian Cells Using Polyoma Capsids and Electroporation," Bioscience Reports 7:107-112 (1987)
		10	Bost et al., "Molecular characterization of a corticotropin receptor," Molecular and Cellular Endocrinology 44:1-9 (1986)
		11	Bost et al., "Similarity between the corticotropin (ACTH) receptor and a peptide encoded by an RNA that is complementary to ACTH mRNA," PNAS 82:1372-1375 (March 1985)
		12 .	Brady et al., "Altered Expression of Hypothalamic Neuropeptide mRNAs in Food-Restricted and Food-Deprived Rats," Neuroendocrinol. 52:441-447 (1990)
		1	Buckley & Ramachandran, "Characterization of corticotropin receptors on adrenocortical cells," <i>Proc. Natl. Acad. Sci. USA</i> 78:7431-7435 (1981)
		· `	Chen & Okayama, "High-Efficiency Transformation of Mammalian Cells by Plasmid DNA," Mol. Cell. Biol. 7:2745-2752 (1987)
1		15	Chen et al., "A Colorimetric Assay for Measuring Activation of G _s - and G _q -Coupled Signaling Pathways," Analyt. Biochem. 226:349-354 (1995)
		16	Chhajlani et al., "Molecular cloning and expression of the human melanocyte stimulating hormone receptor cDNA," FEBS Letters 309(3):417-420 (September 14, 1992)
se	1	17,	Chirgwin et al., "Isolation of Biologially Active Ribonucleic Acid for Sources Enriched in Ribonuclease," Biochemistry 18:5294-5299 (1979)

EXAMINER Sya Club	DATE CONSIDERED 12/19/05
-------------------	--------------------------

APPL	JCANT		
		Applicant: Cone et a	ıl.
		Filing Date: February 13, 2002	Group: 1614

发		DeWied & Jolles, "Neuropeptides derived from pro-opiocortin: Behavioral, physiological and neurochemical effects," <i>Physiol. Rev.</i> 62:976-1059 (1982)
1		Dixon et al., "Structural features required for ligand binding to the β-adrenergic receptor," EMBO J. 6:3269-3275 (1987)
		Eberle et al., "Receptor-specific antibodies by immunization with 'antisense' peptides?," Peptide Research 2(3):213-220 (1989)
		21 Felgner et al., "Enhanced Gene Delivery and Mechanism Studies with a Novel Series of Cationic Lipid Formulations," J. Biol. Chem. 269:2550-2561 (1994)
14	,	22 Fink et al., "The CGTCA sequence motif is essential for biological activity of the vasoactive intestinal peptide gene cAMP-regulated enhancer," Proc. Natl. Acad. Sci. USA 85:6662-6666 (1988)
		23 Gantz et-al.; "Molecular Cloning of a Novel-Melanocortin Receptor," J. Biol. Chem. 268:8246-8250 (1993)
g _i	_	Gerst et al., "Dual Regulation of β-Melanotropin Receptor Function and Adenylate Cyclase by Calcium and Guanosine Nucleotides in the M2r Melanoma Cell Line," Mol. Pharmacol. 31:81-88 (1987)
		Gilman, "A Protein Binding Assay for Adenosine 3':5'-Cyclic Monophosphate," Proc. Natl. Acad. Sci. USA 67:305-312 (1979)
		Grahame-Smith et al., "Adenosine 3':5'-Monophosphate as the Intracellular Mediator of the Action of Adrenocorticotropic Hormone on the Adrenal Cortex," J. Biol. Chem. 242:5535-5541 (1967)
		Gruber & Callahan, "ACTH-(4-10) through gamma-MSH: evidence for a new class of central autonomic nervous system-regulating peptides," Am. Physiol. Soc. 257:R681-R694 (1989)
		Hanneman et al., "Peptides encoded by the pro-opiomelanocortin gene," in Peptide Hormone as Prohormones, G. Martinez, ed. (Ellis Horwood Ltd.: Chichester, UK) pp. 53-82 (1987)
14	1	Hofmann et al., "Radioactive probes for adrenocorticotropic hormone receptors," Biochemistry 25(6):1339-1346 (March 25, 1986)

EXAMINER

Ayar Muk

DATE CONSIDERED

12/19/05

INFORMATION DISCLOSURE STATEMENT BY APPLICANT	01-104-B .	10/074,754
	Applicant: Cone et al.	
	Filing Date: February 13, 2002	Group: 1614

A2	/	30	Hruby et al., "Cyclic Lactam α-Melanotropin Analogues of Ac-Nle ⁴ -cyclo[Asp ⁵ ,D-Phe ⁷ ,Lys ¹⁰] α-Melanocyte-Stimulating Hormone-(4-10)-NH ₂ with Bulky Aromatic Amino Acids at Position 7 Show High Antagonist Potency and Selectivity at Specific Melanocortin Receptors," <i>J. Med. Chem.</i> 38:3454-3461 (1995)
		31	mammalian pigmentation, and can be modulated by interferons," J. Cellular Physiology 137(1):35-44 (October 1988)
			Karnik et al., "Cysteine residues 110 and 187 are essential for the formation of correct structure in bovine rhodopsin," <i>Proc. Natl. Acad. Sci. USA</i> 85:8459-8463 (1988)
			Klein et al., "Pressor and cardioaccelerator effects of gamma MSH and related peptides," Life Sci. 36:769-775 (1985)
			Labbe et al., "Molecular Cloning of a Mouse Melanocortin 5 Receptor Gene Widley Expressed in Peripheral Tissues," Biochem. 33:4543-4549 (1994)
		1	Laursen and Belknap, "Intracerebroventricular Injections in Mice," J. Pharmacol. Methods 16:355-357 (1986)
			Leiba et al., "The melanocortin receptor in the rat lacrimal gland: a model system for the study of MSH (melanocyte stimulating hormone) as a potential neurotransmitter," European Journal of Pharmacology 181(1-2):71-82 (May 31, 1990)
I		37	Libert et al., "Selective Amplification and Cloning of Four New Members of the G Protein-Coupled Receptor Family," Science 244:569 (1989)
		38	unilaterasl nephrectomy," Hypertension 10:619-627 (1987)
4	1	39	Ling et al., "Synthesis and biological activity of four gamma-melanotropin peptides derived from the cryptic region of the adrenocorticotropin/β-lipotropin precursor," Life Sci. 25:1773-1780 (1979)

	EXAMINER Sym Clare	DATE CONSIDERED	12/19/05
--	--------------------	-----------------	----------

INFORMATION DISCLOSURE STATEMENT BY APPLICANT Applicant: Cone et al. Filing Date: February 13, 2002 Group: 1614

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

H.	40 Lu et al., "Agouti protein is an antagonist of the melanocyte-stimulating-hormone receptor," Nature 371:799-802 (1994)
1	Masu et al., "cDNA cloning of bovine substance-K receptor through oocyte expression system," Nature 329:836-838 (1987)
	Matsuda et al., "Structure of a cannabinoid receptor and functional expression of the cloned cDNA," Nature 346:561-564 (1990)
	Mertz et al., "Adrenocorticotropin receptors: Functional expression from rat adrenal mRNA in Xenopus laevis oocytes," PNAS 88:8525-8529 (1991)
	44 Moore et al., Endocrinology 34:107-114 (1991)
	Mountjoy et al., "Localization of the Melanocortin-4 Receptor (MC4-R) in Neuroendocrine and Autonomic Control Circuits in the Brain," Mole. Endocrinol. 8:1298-1308 (1994)
	Mountjoy et al., "The cloning of a family of genes that encode the melanocortin receptors," Science 257:1248-1251 (1992)
	Oelofsen & Ramachandran, "Studies of Corticotropin Receptors on Rat Adipocytes," Arch. Biochem. Biophys. 225:414-421 (1983)
	Oki et al., "γ-MSH Fragments from ACTH-β-LPH Precursor Have an Affinity for Opiate Receptors," Eur. J. Pharmacol. 64:161-164 (1980)
	Pawalek, "Studies on the Cloudman Melanoma Cell Line as a Model for the Action of MSH," Yale J. Biol. Med. 58:571-578 (1985)
	Pawelek, "Factors Regulating Growth and Pigmentation of Melanoma Cells," J. Invest. Dermatol. 66:201-209 (1976)
H	Roselli-Rehfuss et al., "Identification of a receptor for γ melanotropin and other proopiomelanocortin peptides in the hypothalamus and limbic system," <i>Proc. Natl. Acad. Sci. USA</i> 90:8856-8860 (1993)

EXAMINER	Syar Ulve	DATE CONSIDERED	12/19/05
1			

III	VA-4V T-D	AUIU / 45 / 24
	Applicant: Cone et al.	
·	Filing Date: February 13, 2002	Group: 1614

是	_	52	Saiki et al., "Primer-Directed Enzymatic Amplification of DNA with a Thermostable DNA Polymerase," Science 239:487-491 (1988)
-		_53_	Sambrook et al., 1990, Molecular Cloning: A Laboratory Manual (Cold Spring Harbor Press: New York)
炙	-	54	Sanger et al., "DNA sequencing with chain-terminating inhibitors," <i>Proc. Natl. Acad. Sci. USA</i> 74:5463-5467 (1977)
1		1	Schild, "pA, A New Scale for the Measurement of Drug Antagonism," Brit J. Pharmacol. 2:189-206 (1947)
		_	Schimmer et al., "Adrenocorticotropin-Resistant Mutants of the Y1 Adrenal Cell Line Fail to Express the Adrenocorticotropin Receptor," J. Cell Physiol. 163:164-171 (1995)
		57	Schimuze, "Thirty-five years of progress in the study of MSH," Yale J. Biol. Med. 58:561-570 (1985)
		58	Shimizu et al., "Effects of MSH on Food Intake, Body Weight and Coat Color of the Yellow Obese Mouse," Life Sci. 45:543-552 (1989)
			Siegrist et al., "Characterization of Receptors for α-Melanocyte-stimulating Hormone on Human Melanoma Cells," Cancer Research 49:6352-6358 (November 15, 1989)
N		60	Siegrist et al., "Quantification of MSH receptors on mouse melanoma tissue by receptor autoradiography," J. Receptor Res. 11:323-331 (1991)
H		-61	Slominski et al., "Melanotropic activity of gamma MSH peptides in melanoma cells," Life Sci. 50:1103-1108 (1992)
4		62	Smithies et al., "Insertion of DNA sequences into the human chromosomal β-globin locus by homologous recombination," Nature 317:230-234 (1985)
G		63	Solca et al., "The receptor for α-melanotropin of mouse and human melanoma cells," J. Biol. Chem. 264:14277-14280 (1989)

EXAMINER Jypu (Muz DATE CONSIDERED 12/19/05

INFORMATION DISCLOSURE STATEMENT BY APPLICANT		
	Applicant: Cone et al.	
	Filing Date: February 13, 2002	Group: 1614

			OTHER DOCUMENTO (Including Processing Proces
li.		64	Spindel et al., "Cloning and Functional Characterization of a Complementary DNA Encoding the Murine Fibroblast Bobmesin/Gastrin-Releasing Peptide Receptor," Mol. Endocrinol. 4:1956-1963
	1		(1990)
1		65 _	Tatro & Reichlin, "Specific receptors for α-melanocyte-stimulating hormone are widely distributed in tissues of rodents," <i>Endocrinology</i> 12 1:1900-1907 (1987)
		66	Tatro et al., "Melanotropin Receptors of Murine Melanoma Characterized in Cultured Cells and Demonstrated in Experimental Tumors in Situ," Cancer Res. 50:1237-1242 (1990)
		67	Thomas & Capecchi, "Site-Directed Mutagenesis by Gene Targeting in Mouse Embryo-Derived Stem Cells," Cell 51:503-512 (1987)
1		68	<u>Tissue Culture</u> , Academic Press, Kruse & Patterson, editors (1973)
\			Tsujii et al., "Acetylation Alters the Feeding Response to MSH and Beta-Endorphin," Brian Res. Bull. 23:165-169 (1989)
,		70	Yen et al., "Obesity, diabetes, and neoplasia in yellow A^{yy} -mice: ectopic expression of the agouti gene," FASEB J. 8:479-488 (1994)
H		71	Zhou et al., "Cloning and expression of human and rat D ₁ dopamine receptors," Nature 347:76-80 (Sep. 1990)

|--|